




X-Case

Casing-in machine


max cm 46x50 200 books/h



H 7 - 50 cm

W 7 - 46 cm

T 0,4 - 7 cm



W 1,58 m

D 0,93 m

H 1,75 m

The X-Case is an ideal casing-in machine for short runs. It has a sturdy build, wide size range and guarantees high quality binding.

A common drive ensures that the speed between the book and the gluing rollers remains constant regardless of the book weight.

To produce durable books the X-Case automatically applies a double amount of glue at the joints.



- Gluing device with function of double spreading
- Manual opening of the book block and placing on the blade
- Manual positioning of the book case
- Gluing with cold (vinyl) glue
- Grooved rollers ensure even distribution of glue in a thin layer

TECHNICAL DATA

Max book block size: cm 46 x 50 (spine)
 Min book block size: cm 35 x 70 (spine)
 Max book block thickness: cm 7
 Min book block thickness: cm 0,4
 Max mechanical speed: books/h 200
 Rated power: kW 0,37
 Standard voltage: V 400/Hz 50/3 phase (others available upon request)
 Packed machine size: cm 123 x 158 x h175
 Gross weight: kg 601

ALTERNATIVE MACHINES



X-Case Plus

Casing-in machine
 Max size: cm 22 x 50
 Max speed: books/hour 350



X-Case Plus + VIP Forming

Casing-in machine in line with Joint forming press
 Max size: cm 22 x 50
 Max speed: books/hour 350

COMPLEMENTARY MACHINES

**Roby Junior 2**

Casemaker with automatic board feeder
 Max size: cm 50 x 70
 Max speed: cycles/hour 250

**Cimatic**

Joint forming machine
 Max spine length: cm 48
 Max speed: cycles/hour 300

**Special**

Book press
 Max size: cm 38 x 55
 Max pile height: cm 44

**Capri**

Head and tail banding machine
 Max size: cm 47
 Max thickness: cm 5